Page 3 of 8

Applicant(s):

Sandor LOVAS et al.

Serial No.:

Unassigned (Parent: 09/269,954)
Herewith (Parent: 08 April 1999)

Filed:

Herewith (Parent: 08 April 1999)
NOVEL GnRH ANALOGUES WITH ANTITUMOR EFFECTS AND PHARMACEUTICAL

For: N

COMPOSITIONS THEREOF

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the above-identified application:

Listing of Claims

1-17. (Canceled)

18. (Original) A pharmacologically active compound of formula (I)

$$Y(W_{u}, V_{z}, X_{r}, A_{k}) \tag{I}$$

wherein

Y represents the molecular moiety of formula (Ia),

wherein n is an integer from 10 to 400; one of R_1 and R_2 represents hydrogen atom whereas the other one represents a group of formula (B);

$$\bigcup_{N} O \qquad (B)$$

 R_3 represents a polymerization-initiating group;

W represents a hydroxyl group, optionally as a salt formed with an alkali metal ion;

V represents a C1-8 alkylamino group bonded through its amino group or a valence bond;

X is a "spacer" group being an amino acid group or an oligopeptide group of at most six members wherein the amino acid or oligopeptide group is coupled through its N-terminal to the Y group and

Page 4 of 8

Applicant(s):

Sandor LOVAS et al.

Serial No.:

Unassigned (Parent: 09/269,954)

Filed:

Herewith (Parent: 08 April 1999)

NOVEL GORH ANALOGUES WITH ANTITUMOR EFFECTS AND PHARMACEUTICAL For: COMPOSITIONS THEREOF

is optionally bearing a hydroxyl group or a valence bond on its C-terminal, wherein the amino acids are Gly, Ala, Leu, Ile, Val, Phe, Tyr, Ahx, Pro, Arg, or His;

- is present and represents a pharmacologically active polypeptide hormone group containing an Α amino group and directly coupled therethrough to the Y group when r is 0; or coupled to the Cterminal of the X group, respectively, when r is larger than 0;
- is an integer from 0 to 0.2 n; r
- k is an integer being at most equal to r; z is an integer from 0 to (n-r); and
- u is an integer from n to 2n-r-z, as well as the salts and complexes of these compounds.
- (Original) The pharmacologically active compound of formula (I) of claim 18, wherein R₃ is a 19. (CH₃)₂CCN group.
- 20. (Original) The pharmacologically active compound of formula (I) of claim 19, wherein:
- Α represents a native gonadotropin-releasing hormone (GnRH) coupled through its amino group or a pharmacologically active analogue thereof; and k, r, u, z, X, Y, V and W are as defined in claim 18, as well as the salts and complexes of these compounds.
- 21. (Original) The pharmacologically active compound of formula (I) of claim 20, wherein
- Α represents

pGlu-His-Trp-Ser-His-Asp-Trp-Lys-Pro-Gly-NH₂ (SEQ ID NO:2),

Ac-D-Trp^{1,3}, p-chlorophenyl-D-alanine²(D-Cpa²),D-Lys⁶,D-Ala¹⁰-gonadotropin-releasing hormone (GnRH)

Ac-D-Trp^{1,3}, D-Cpa²,Lys⁵,[Asp(a-DEA)]⁶,D-Ala¹⁰-Gln⁸-GnRH,

D-Phe²,D-Trp³,D-Lys⁶-GnRH,

Lys⁵,cyclo(Asp⁶-Lys⁸)-GnRH-III,

Lys⁴, [Lys(ε -Fmoc)]⁸-GnRH-III,

Lys4-GnRH-III,

D-Lys⁶-GnRH,

Lys⁵,D-Trp⁶-GnRH

Page 5 of 8

Applicant(s):

Sandor LOVAS et al.

Serial No.:

Unassigned (Parent: 09/269,954) Herewith (Parent: 08 April 1999)

Filed: For:

NOVEL GnRH ANALOGUES WITH ANTITUMOR EFFECTS AND PHARMACEUTICAL

COMPOSITIONS THEREOF

coupled to X or Y through the \(\epsilon\)-amino group of their Lys side chains; and k, r, u, z, X, Y, V and W are as defined in claim 18, as well as the salts and complexes of these compounds.

- 22. (Original) The pharmacologically active compound of formula (I) of claim 18, wherein X represents an oligopeptide group consisting of four members; and k, r, u, z, A, Y, V and W are as defined in claim 18, as well as the salts and complexes of these compounds.
- (Original) The pharmacologically active compound of formula (I) of claim 18, wherein X 23. represents an oligopeptide group consisting of three members; and k, r, u, z, A, Y, V and W are as defined in claim 18, as well as the salts and complexes of these compounds.
- 24. (Original) The pharmacologically active compound of formula (I) of claim 18, wherein V is a C4-6 alkylamino group.
- 25. (Original) The pharmacologically active compound of formula (I) of claim 18, wherein r is 0; and k, u, z, A, Y, V and W are as defined in claim 18, as well as the salts and complexes of these compounds.
- 26. (Original) A compound containing an activated ester group of formula (Ic),

$$Y[W_{u},V'_{z},(XOQ)_{r}] (Ic)$$

wherein Y represents the molecular moiety of formula (Ia), wherein n is an integer from 10 to 400; one of R₁ and R₂ represents hydrogen atom whereas the other one represents a group of formula (B); R₃ represents a polymerization-initiating group; W represents a hydroxyl group, optionally as a salt formed with an alkali metal ion; V' represents a C1-8, alkylamino group bonded through its amino group; X represents an amino acid group or an oligopeptide group of at most six members coupled through its Nterminal to the Y group; OQ represents an activated ester group on C-terminal of the X group; r is an integer from 0 to 0.2 n; z is an integer from 0 to (n-r); and u is an integer from n to (2n-r-z), as well as the salts of these compounds.

Page 6 of 8

Applicant(s):

Sandor LOVAS et al.

Serial No.:

Unassigned (Parent: 09/269,954)

Filed: For:

Herewith (Parent: 08 April 1999)

NOVEL GnRH ANALOGUES WITH ANTITUMOR EFFECTS AND PHARMACEUTICAL **COMPOSITIONS THEREOF**

(Original) Compounds of formula (Ic) as claimed in claim 26, wherein X 27. represents an oligopeptide group consisting of at most four members, preferably -Gly-Phe-Leu-Gly-, -Gly-Phe-Gly-, -Phe-Leu- Gly- or -Ahx-; OQ represents ONp group; and k, r, u, z, A, Y, V' as well as W are as defined in claim 26, as well as the salts of these compounds.

- 28. (Original) A pharmaceutical composition comprising a compound of formula (I) of claim 18, wherein k. r, u, z, X, Y, V and W are as defined in claim 18, or a pharmaceutically acceptable salt or complex thereof in admixture with carriers and/or additives commonly used in the pharmaceutical industry.
- (Original) A tumour-inhibiting pharmaceutical composition comprising a compound of formula (I) of claim 20 or a pharmaceutically acceptable salt or complex thereof in admixture with carriers and/or additives commonly used in the pharmaceutical industry.
- (Original) A tumour-inhibiting and immunostimulatory pharmaceutical composition comprising a compound of formula (I), wherein A represents

Ac-D-Trp^{1,3}, p-chlorophenyl-D-alanine²(D-Cpa²),Lys⁵,[Asp(a-DEA)]⁶,D-Ala¹⁰-Gln⁸-GnRH, and k, r, z, u, X, Y, V and W are as defined in claim 18, or a pharmaceutically acceptable salt or complex thereof in admixture with carriers and/or additives commonly used in the pharmaceutical industry.

- 31. (Original) A composition comprising a compound of claim 18 in combination with a pharmaceutically acceptable carrier.
- (Original) The pharmacologically active compound of claim 18, wherein n is an integer from 20 to 200.
- 33. (Original) The pharmacologically active compound of claim 22, wherein X represents -Gly-Phe-Leu-Gly- (SEQ ID NO:5).

Page 7 of 8

Applicant(s):

Sandor LOVAS et al.

Serial No.:

Unassigned (Parent: 09/269,954) Herewith (Parent: 08 April 1999)

Filed: For:

NOVEL GnRH ANALOGUES WITH ANTITUMOR EFFECTS AND PHARMACEUTICAL

COMPOSITIONS THEREOF

- 34. (Original) The pharmacologically active compound of claim 23, wherein X represents -Phe-Leu-Gly-.
- (Original) The pharmacologically active compound of claim 23, wherein X represents -Gly-Leu-Gly-.
- 36. (Original) The compound of claim 26, wherein n is an integer from 20 to 200.
- (**Original**) The compound of claim 26, wherein R_3 represents (CH₃)₂CCN. 37.
- (Original) The compound of claim 26, wherein W represents a hydroxyl grop as a salt formed with 38. a sodium ion.
- (Original) The compound of claim 26, wherein V'represents a C4-6 alkylamino group. 39.
- 40. (Original) The compound of claim 26, wherein the activated ester group is selected from the group consisting of ONp, OPcp, Opfp, and ONsu.
- (Original) A tumour-inhibiting pharmaceutical composition comprising a compound of formula 41. (I) of claim 21 or a pharmaceutically acceptable salt or complex thereof in admixture with carriers and/or additives commonly used in the pharmaceutical industry.